


Bastidores de Corredera



bastidores de corredera



Medidas premarco para Cartón yeso



Una hoja		
Luz de paso mm L x H	Medidas de ocupación Li x Hi	Grosor de pared / Hueco interior Sp / Si
600 x 2020	1310 x 2130	95/54 - 115/69
600 x 2100	1310 x 2210	
700 x 2020	1510 x 2130	
700 x 2100	1510 x 2210	
800 x 2020	1710 x 2130	
800 x 2100	1710 x 2210	
900 x 2020	1910 x 2130	
900 x 2100	1910 x 2210	
1000 x 2020	2110 x 2130	
1000 x 2100	2110 x 2210	
1100 x 2020	2310 x 2130	115/69
1100 x 2100	2310 x 2210	
1200 x 2020	2510 x 2130	
1200 x 2100	2510 x 2210	

Dos hojas		
Luz de paso mm L x H	Medidas de ocupación Li x Hi	Grosor de pared / Hueco interior Sp / Si
1200 x 2020	2520 x 2130	95/54 - 115/69
1200 x 2100	2520 x 2210	
1400 x 2020	2920 x 2130	
1400 x 2100	2920 x 2210	
1600 x 2020	3320 x 2130	
1600 x 2100	3320 x 2210	
1800 x 2020	3720 x 2130	
1800 x 2100	3720 x 2210	
2000 x 2020	4120 x 2130	
2000 x 2100	4120 x 2210	
2200 x 2020	4520 x 2130	115/69
2200 x 2100	4520 x 2210	
2400 x 2020	4920 x 2130	
2400 x 2100	4920 x 2210	

Enfoscado



Una hoja, para paredes de enfoscado